

Contents of Aquaculture, Volume 209

| VOL. 209 NOS. 1-4 28 June | 2002 |
|--|------|
| Announcement | v |
| Diseases, Parasites and Predators | |
| CpG oligodeoxynucleotides enhance the non-specific immune responses on carp, Cyprinus carpio A.C.M.A.R. Tassakka and M. Sakai (Miyazaki, Japan). Hypnospores detected by RFTM in clam (Ruditapes decussatus) tissues belong to two different | 1 |
| protozoan organisms, Perkinsus atlanticus and a Perkinsus-like organism | |
| B. Novoa, M.C. Ordás and A. Figueras (Vigo, Spain) | 11 |
| O.F. Ellingsen, B. Midttun, A. Rogstad, C. Syvertsen (Oslo, Norway) and O.B. Samuelsen (Bergen, Norway) | 19 |
| Development of a method for reproducing epizootic ulcerative syndrome using controlled doses of Aphanomyces invadans in species with different salinity requirements | • |
| E.S. Catap (Tigbauan, Philippines) and B.L. Munday (Launceston, Tas., Australia) | 35 |
| G. Koumoundouros, E. Maingot, P. Divanach and M. Kentouri (Crete, Greece) | 49 |
| Genetics and Breeding | |
| Genetic variation for growth rate, feed conversion efficiency, and disease resistance exists within a farmed population of rainbow trout | |
| M. Henryon (Tjele, Denmark), A. Jokumsen (Hirtshals, Denmark), P. Berg (Tjele, Denmark), I. Lund, P.B. Pedersen (Hirtshals, Denmark), N.J. Olesen and W.J. Slierendrecht (Aarhus, | 50 |
| Denmark) | 59 |
| T. Shikano and N. Taniguchi (Sendai, Japan) | 77 |
| K.H. Røed (Oslo, Norway), SE. Fevolden (Tromsø, Norway) and K.T. Fjalestad (Ås, Norway) | 91 |
| Growth and survival in two complete diallele crosses with five stocks of Rohu carp (<i>Labeo rohita</i>) B. Gjerde (Ås, Norway), P.V.G.K. Reddy, K.D. Mahapatra, J.N. Saha, R.K. Jana, P.K. Meher, M. Sahoo, S. Lenka, P. Govindassamy (Bhubaneswar, India) and M. Rye (Ås, Norway) | 103 |
| W. Sanoo, S. Lenka, F. Govindassamy (Bildbaneswar, India) and W. Rye (As, Norway) | 103 |
| Husbandry and Management | |
| The effect of chemical cues on settlement behaviour of blacklip pearl oyster (<i>Pinctada margaritifera</i>) larvae | |
| M.S. Doroudi and P.C. Southgate (Townsville, Que., Australia) | 117 |
| S.O. Handeland and S.O. Stefansson (Bergen, Norway) | 125 |

| Bimodal length distributions of cultured chinook salmon and the relationship of length modes to adult survival | |
|--|-----|
| R.D. Ewing and G.S. Ewing (Corvallis, OR, USA). The effect of embryo incubation temperature on indicators of larval viability in Stage I phyllosoma of the spiny lobster, Jasus edwardsii | 139 |
| G.G. Smith, A.J. Ritar (Taroona, Tas., Australia), P.A. Thompson (Launceston, Tas., Australia), | |
| G.A. Dunstan and M.R. Brown (Hobart, Tas., Australia) | 157 |
| YF. Lin, SR. Jing, DY. Lee and TW. Wang (Tainan, Taiwan) | 169 |
| Predicting live-chilling dynamics of Atlantic salmon (Salmo salar) | 185 |
| P.O. Skjervold, S.O. Fjæra and L. Snipen (Ås, Norway) | 103 |
| K. Uthaiwan, P. Pakkong, N. Noparatnaraporn (Bangkok, Thailand), L. Vilarinho and J. Machado | |
| (Oporto, Portugal) | 197 |
| Nutrition | |
| Effect of dietary lipid level on nutritional performance of the surubim, Pseudoplatystoma coruscans | |
| R.C. Martino (Rio de Janeiro, Brazil), J.E.P. Cyrino, L. Portz (Piracicaba, Brazil) and L.C. Trugo | |
| (Rio de Janeiro, Brazil) Dietary lipid level and growth hormone alter growth and body conformation of blue tilapia, Ore- | 209 |
| ochromis aureus K. Wille (Aalborg, Denmark), E. McLean, J.S. Goddard (Al-Khoud, Oman) and J.C. Byatt | |
| (St. Louis, MO, USA) | 219 |
| Performance and fatty acid composition of surubim (Pseudoplatystoma coruscans) fed diets with animal and plant lipids | -17 |
| R.C. Martino (Rio de Janeiro, Brazil), J.E.P. Cyrino, L. Portz (Piracicaba, Brazil) and L.C. Trugo | |
| (Rio de Janeiro, Brazil) | 233 |
| Physiology and Endocrinology | |
| Effects of starvation on melano-macrophages in the kidney of masu salmon (Oncorhynchus masou) | |
| S. Mizuno, N. Misaka (Erimo, Japan), Y. Miyakoshi, K. Takeuchi (Eniwa, Japan) and N. Kasahara | |
| (Erimo, Japan) | 247 |
| Accelerated growth performance and stable germ-line transmission in androgenetically derived ho- | |
| mozygous transgenic mud loach, Misgurnus mizolepis Y.K. Nam, Y.S. Cho, H.J. Cho and D.S. Kim (Pusan, South Korea) | 257 |
| Isolation and transient expression of a cDNA encoding L-gulono-y-lactone oxidase, a key enzyme for | 231 |
| L-ascorbic acid biosynthesis, from the tiger shark Scyliorhinus torazame | |
| Y.K. Nam, Y.S. Cho (Pusan, South Korea), S.E. Douglas, J.W. Gallant, M.E. Reith (Halifax, Nova | |
| Scotia, Canada) and D.S. Kim (Pusan, South Korea) | 271 |
| A comparative study on morphological differences in the olfactory system of red sea bream (Pagrus major) and black sea bream (Acanthopagrus schlegeli) from wild and cultured stocks | |
| R.R. Mana and G. Kawamura (Kagoshima, Japan) | 285 |
| Combined effect of temperature and salinity on osmoregulation of juvenile and subadult <i>Penaeus stylirostris</i> | |
| P. Lemaire, E. Bernard (Nouméa, New Caledonia), J.A. Martinez-Paz (Santiago, Spain) and | |
| L. Chim (Nouméa, New Caledonia) | 307 |
| Regulation of pituitary gonadotropin II and growth hormone content by sex steroids and pituitary extract in the aquacultured Japanese eel. Anguilla japonica | |
| SR. Jeng (Keelung, Taiwan, ROC), GR. Chen, JY. Lai (Lukang, Taiwan, ROC), YS. Huang | |
| (Keelung, Taiwan, ROC), S. Dufour (Naturelle, France) and CF. Chang (Keelung, Taiwan, ROC). | 319 |
| Latitudinal variation in reproductive behavior in the pearl oyster, Pinctada albina sugillata W.A. O'Coppor (New South Wales Australia) | 222 |
| W.A. O'Connor (New South Wales, Australia) | 333 |
| T. Hoang, S.Y. Lee, C.P. Keenan (Queensland, Australia) and G.E. Marsden (NSW, Australia) | 347 |

| Camponia | A A manuelanna | Makeuma 200 |
|------------|----------------|-------------|
| Contents (| f Aquaculture, | Volume 209 |

Contents of Aquaculture, Volume 209 . .